

Incredibile Tattoo Supply

Ragione sociale/ Firm

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

Created on/Creato il 02 marzo 2017

Last revised/Ultima revisione 19 settembre 2019

MATERIAL SAFETY DATA SHEET

1. Identification of the substance/mixture and of the Company/Undertaking

Bulk code/Cod. Prod. bulk **0221C**

Codice Cliente 0005

1.1. Product identifier

GREEN SOAP VERDE CONCENTRATO (DA DILUIRE)

1.2. Relevant identified uses of the substance or mixture and uses advised against

DETERGENTE CONCENTRATO (DA DILUIRE) CONCENTRATED CLEANSER, TO BE DILUTED BEFORE USE.

Regol. 1223/2009 (CE),
classification

How to use the substance or mixture

DOPO LA DILUIZIONE, UTILIZZARE COME UN NORMALE SAPONE LIQUIDO, RISCIAQUANDO CON ACQUA.
AFTER DILUTION, USE AS A NORMAL LIQUID SOAP, RINSE WITH FRESH WATER.

1.3. Details of the supplier of the Safety Data Sheet

Prodotto o importato da:

Incredibile Tattoo Supply

Ragione sociale/ Firm

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

Marketed by (no data if the same of the SDS supplier):

Firm/Ragione sociale
Site/Località
Address - Via/piazza e numero

Phone/Telefono
Fax

ZIP Town Province/CAP Città Provincia

1.4. Emergency telephone number

Incredibile Tattoo Supply

+39 0522 268296

SCHEDA DI SICUREZZA

1.4 Emergency call phone numbers

EU wide emergency number: 112

Emergency number for each country outside EU may be different: seek for POISON CENTER phone numbers in your country and write them in the space below.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

2. Hazards identification**0221C****2.1 Classification according to EU Regulation 1272/2008**

Il prodotto, se esposto ad alte temperature (>>100°C) per tempi prolungati, può generare vapori infiammabili.

Irritante per contatto con gli occhi; nocivo per ingestione

The product, if exposed to strong heat (T>>100°C) for a long time, can release flammable vapor.

Irritating to eyes; harmful if ingested.

2.2 Label elements

Cosmetic products have their specific Regulation (Regulament 1223/2009 CE) and are NOT subjected to safety labeling as finished products. Safety labelig is mandatory when in bulk.

**Pericoli/Hazards**

NON PERICOLOSO

**Prudenza/Caution
Prevenzione/Prevention****Reazione/Reaction****Conservazione/Storage****Smaltimento/Disposal****Substances to be considered as hazardous as per Regulation 1272/2008 (EU)**

Alcool etilico CAS 64-17-5 (Conc. 33.5% in peso) infiammabile cat. 2; irritante per gli occhi Cat. 2

Ethanol CAS 64-17-5 (33.5% w/w) FLAMMABLE LIQUID 2; EYE IRRITANT 2

4. First aid measures**0221C**

In caso di contatto con gli occhi, risciacquare con abbondante acqua per almeno 10 minuti.
In caso di ingestione accidentale, se la persona è cosciente provocare il vomito. Ricorrere alle cure di un medico.
In case of eye contact: rinse with plenty of fresh water, open eyelids, for at least 10 minutes.
In case of accidental ingestion: if harmed people is conscious provoke vomiting. Call for a physician.

5. Firefighting measures

Il prodotto è scarsamente combustibile, può supportare la combustione ove vengano raggiunte temperature talmente elevate da causare l'evaporazione massiva dell'alcool contenuto.
Immagazzinare in luogo fresco e ventilato, al riparo da fiamme libere.
Non immagazzinare assieme ad ossidanti forti.
In caso di incendio rimuovere dalla zona interessata, raffreddare i contenitori con getto d'acqua.
Estinguenti adatti: acqua, acqua nebulizzata, schiume resistenti all'alcool.
The product is hardly combustible since has a lot of water inside, can support combustion if very high temperature cause massive evaporation of alcohol.
Store in a cool and well aerated place, apart from naked flames.
Do not store together with strong oxydizing substances.
In case of fire, remove from the fire area, keep containers cold by a water sprinkle.
Suitable extinguishing media: water, water fog, alcohol resistant foams.

6. Accidental release measures

Adsorbire lo spandimento con sabbia, segatura o altro idoneo assorbente. Rimuovere il materiale adsorbito, da smaltire all'inceneritore. Lavare la superficie interessata dallo spandimento con acqua.
Absorb spill with sand, wood cuttings or other suitable adsorbing material, Remove adsorbed material and sent to incinerator. Wash the spill area with plenty of water.

7. Handling and storage

0221C

7.1. Precautions for safe handling

Non necessita di particolari precauzioni. No special cautions needed.
Indossare protezioni per gli occhi, a prodotto aperto operare in luogo ben ventilato. Wear eye protections, for open product tank good aeration needed.

7.2. Conditions for safe storage, including any incompatibility

Evitare la prossimità con fiamme libere o punti di accensione. Avoid naked flames or ignition points.
Non immagazzinare in prossimità di ossidanti forti. Do not store near strong oxidizing substances.
Immagazzinare in locali aerati. Store in well aerated areas.

7.3. Specific end use(s)

DETERGENTE CONCENTRATO (DA DILUIRE PRIMA DELL'USO). CONCENTRATED CLEANSER (TO BE DILUTED BEFORE USE)

8. Exposure control/personal protection

8.1 Occupational exposure limits

Non necessarie protezioni individuali. Maneggiare il prodotto in bulk in ambienti aerati (non applicabile alla singola confezione commerciale che ha un volume troppo piccolo per costituire una fonte di rischio).
No special protections needed. Handle bulk product in well aerated areas. (Not applicable to the commercial size, too little to rise risks)

8.2 Recommended Monitoring Procedures

.....
.....
.....
.....
.....
.....

8.2.1 Individual protection measures

.....
.....

8.2.1.1 Respiratory protection

.....
.....

8.2.1.2 Hand protection

.....
.....
.....

8.2.1.3 eye protection

.....
.....
.....

8.2.1.4 Skin protection

.....
.....
.....
.....
.....
.....

9. Physical and chemical properties**0221C****9.1 Information on basic physical and chemical properties**

Liquido limpido di colore verde, schiumogeno, di odore caratteristico del profumo.

pH 4-6

densità 0,990 - 1,010

Grado alcolico 28-31% v/v

Clear liquid green in colour, foaming, characteristic scent.

density 0.990-1.010

Ethanol content 28-31%

Immagazzinare in luogo fresco e asciutto, lontano da fonti di calore e luce solare diretta.

9.2 Other informations**10. Stability and reactivity****10.1 Reactivity**

Il prodotto è chimicamente stabile e non ha probabilità di reagire con altri prodotti.
The product is stable and is unlikely whichever chemical reaction with other products

10.2 Chemical Stability

n.d./n.a.

10.3 Possibility of hazardous reactions

Solo a contatto con sostanze che reagiscono violentemente con l'acqua

Contact with substances who react strongly with water

10.4 Conditions to avoid

n.d./n.a.

10.5 Incompatible materials

n.d./n.a.

10.6 Hazardous decomposition products

11. Toxicological informations**0221C**

Nelle condizioni, dosi e frequenza di uso previste e con le avvertenze prescritte, il prodotto è da considerarsi SICURO.
If used under suggested doses after dilution, frequency of use and warnings, the product has to be considered SAFE.

Evitare il contatto con occhi e mucose.
Tenere fuori dalla portata dei bambini.
UTILIZZARE SOLO DOPO DILUIZIONE
Avoid contact with mucosae.
Keep away from reach of children.
USE ONLY AFTER DILUTION

12. Ecological informations**12.1 Ecotoxicity**

Non disperdere nelle acque superficiali il prodotto puro.
Diluito il prodotto è completamente biodegradabile.
Do not pour the product in rivers, lake, sea.
Diluted the product is fully biodegradable.

12.2 Persistence and degradability

Fully miscible in water, data n.a.

12.3 Bioaccumulative potential

unlikely

n.a.

12.4 Mobility in soil

unlikely PBT or vPvB

**12.5 Results of PBT e vPvB
assessment**

n.a.

12.6 Other adverse effects

13. Disposal considerations**0221C**

Lo smaltimento di forti quantità è preferibilmente da effettuare per conferimento all'inceneritore.
Piccole quantità possono essere smaltite come per i normali detergenti.
Bulk quantities preferably to be sent to the incinerator.
Small quantities can be disposed as usual for ordinary cleansers.

14. Transport/shipping info**14.1 U.N. Number** 1170 alcoholic solution**14.2 U.N. proper shipping name** Ethanol solution**14.3 Transport hazard class(es)** 3**14.4 Packing group** II

n.d. - undetermined

14.5 Environmental hazards

n.d. undetermined

14.6 Special precautions for user

n.d. - undetermined

**14.7 Transport in bulk according to All. II to
Marpol 73/78 and IBC code**

15. Regulatory Informations**0221C****15.1 Safety and environmental regulation / legislation specific for the substance or mixture**

Prodotto soggetto al Regolamento 1223/2009 e successive modifiche.

This product is under EU Regulament 1223/2009 and updates.

15.2 Chemical safety assessment

Nelle condizioni, dosi e frequenza di uso previste e con le avvertenze prescritte, il prodotto è da considerarsi SICURO.

If used under suggested doses after dilution, frequency of use and warnings, the product has to be considered SAFE.

16. Other informations

Quale prodotto cosmetico è soggetto a tutte le limitazioni e prescrizioni per le sostanze impiegabili come riportate negli allegati II - III - IV - V e VI al Regolamento 1223/2009.

Non soggetto ad etichettatura CLP: Regolamento 1907/2006, articolo 2, comma 6 - lettera b)

As a cosmetic product has to be compliant with all limits and prescriptions for raw materials that can be used as in attachments II - III - IV - V - VI to EU Regulament 1223/2009 and updates.

Not applicable GHP labeling as from EU Regulament 1907/2006, art 2, comma 6, letter b)

In following pages corrispondence between H and P codes and Hazard and Prudence phrases, following Regulation 1272/2008 and amendments, Annex III

Frase H (pericoli)

- H200 = Unstable explosives
H201 = Explosive; mass explosion hazard
H202 = Explosive, severe projection hazard
H203 = Explosive, fire, blast or projection hazard
H204 = Fire or projection hazard
H205 = May mass explode in fire.
H220 = Extremely flammable gas.
H221 = Flammable gas.
H222 = Extremely flammable aerosol.
H223 = Flammable aerosol.
H224 = Extremely flammable liquid and vapour.
H225 = Highly flammable liquid and vapour.
H226 = Flammable liquid and vapour.
H228 = Flammable solid.
H240 = Heating may cause an explosion.
H241 = Heating may cause a fire or explosion
H242 = Heating may cause a fire.
H250 = Catches fire spontaneously if exposed to air.
H251 = Self-heating: may catch fire.
H252 = Self-heating in large quantities: may catch fire.
H260 = In contact with water releases flammable gases which may ignite spontaneously.
H261 = In contact with water releases flammable gases.
H270 = May cause or intensify fire; oxidiser.
H271 = May cause fire or explosion; strong oxidiser.
H272 = May intensify fire; oxidiser.
H280 = Contains gas under pressure; may explode if heated.
H281 = Contains refrigerated gas; may cause cryogenic burns or injury.
H290 = May be corrosive to metals.
H300 = Fatal if swallowed.
H301 = Toxic if swallowed.
H302 = Harmful if swallowed.
H304 = May be fatal if swallowed and enter airways.
H310 = Fatal in contact with skin.
H311 = Toxic in contact with skin.
H312 = Harmful in contact with skin.
H314 = Causes severe skin burns and eye damage.
H315 = Causes skin irritation.
H317 = May cause an allergic skin reaction.
H318 = Causes serious eye damage.
H319 = Causes serious eye irritation.
H330 = Fatal if inhaled.
H331 = Toxic if inhaled.
H332 = Harmful if inhaled.
H334 = May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 = May cause respiratory irritation.
H336 = May cause drowsiness or dizziness.
H340 = May cause genetic defects *<state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H341 = Suspected of causing genetic defects *<state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H350 = May cause cancer *<state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H350i = May cause cancer if inhaled.
H351 = Suspected of causing cancer *<state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H360 = May damage fertility or the unborn child *<state the specific effect if known><state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H360F = May damage fertility.
H360D = May damage the unborn child.
H360FD = May damage fertility. May damage the unborn child.
H361 = Suspected to damage fertility or the unborn child *<state the specific effect if known> <state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>*.
H361f = Suspected to damage fertility
H361d = Suspected to damage the unborn child.
H361fd = Suspected to damage fertility. Suspected to damage the unborn child.
H361Fd = May damage fertility. Suspected to damage the unborn child.
H360Df = May damage the unborn child. Suspected to damage fertility.
H362 = May cause harm to the breast-fed children.

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

**SAFETY DATA SHEET/
SCHEMA DI SICUREZZA**

Created on/Creato il 19 settembre 2019

Last revised/Ultima revisione 19 settembre 2019

H370 = Causes damage to organs <or state all organs affected, if known> <state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>.

H371 = May cause damage to organs <or state all affected organs, if known> <state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>.

H372 = Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>.

H373 = May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state routes of exposure if it is conclusively proven that no other routes of exposition cause the hazard>.

H400 = Very toxic to aquatic life.

H410 = Very toxic to aquatic life with long lasting effects.

H412 = Harmful to aquatic life with long lasting effects.

H413 = May cause long lasting harmful effects to aquatic life.

Further Info on hazards

EUH001 = Explosive when dry.

EUH006 = Explosive with or without contact with air.

EUH014 = Reacts violently with water.

EUH018 = In use may form flammable/explosive vapour-air mixture.

EUH019 = May form explosive peroxides

EUH044 = Risk of explosion if heated under confinement.

EUH029 = Contact with water liberates toxic gas.

EUH031 = Contact with acids liberates toxic gas.

EUH032 = Contact with acids liberates very toxic gas.

EUH066 = Repeated exposure may cause skin dryness or cracking.

EUH070 = Toxic by eye contact.

EUH071 = Corrosive to the respiratory tract.

EUH059 = Hazardous to the ozone layer.

EUH201 = Contains lead. Should not be used on surfaces liable to be chewed or sucked by children.

EUH201A = Warning! Contains lead.

EUH202 = Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

EUH203 = Contains Chromium (VI). May produce an allergic reaction.

EUH204 = Contains isocyanates. May produce an allergic reaction.

EUH205 = Contains epoxy constituents. May produce an allergic reaction.

EUH206 = Warning! Do not use together with other products. May release dangerous gases (chlorine).

EUH207 = Warning! Contains cadmium. Dangerous fumes are formed during use. See information supplied by the manufacturer.

Comply with the safety instructions.

EUH208 = Contains <name of the sensitizing substance>. May produce an allergic reaction.

EUH209 = Can become easily flammable in use.

EUH209A = Can become flammable in use.

EUH210 = Safety data sheet available on request.

EUH401 = To avoid risks to human health and the environment, comply with the instructions for use.

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

**SAFETY DATA SHEET/
SCHEMA DI SICUREZZA**

Created on/Creato il 19 settembre 2019

Last revised/Ultima revisione 19 settembre 2019

Precautionary statements (generic prudence; details in points 4-5-6-7-8-9-10-11 of this SDS)

P101 = If medical advice is needed, have product container or label at hand.

P102 = Keep out of the reach of children.

P103 = Read label before use

P201 = Obtain special instructions before use.

P202 = Do not handle until all safety precautions have been read and understood.

P210 = Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P211 = Do not spray on an open flame or other source of ignition

P220 = Keep/Store away from clothing/.../combustible materials

P221 = Take any precaution to avoid mixing with combustibles/...

P222 = Do not allow contact with air.

P223 = Keep away from any possible contact with water, because of violent reaction and possible flash fire.

P230 = Keep wetted with ...

P231 = Handle under inert gas.

P232 = Protect from moisture.

P233 = Keep container tightly closed.

P234 = Keep only in original container

P235 = Keep cool.

P240 = Ground/bond container and receiving equipment

P241 = Use explosion-proof electrical/ventilating/lighting/.../equipment

P242 = Use only non-sparkling tools

P243 = Take precautionary measures against static discharge.

P244 = Keep reduction valves free from grease and oil

P250 = Do not subject to grinding/shock/.../friction.

P251 = Pressurized container. Do not pierce or burn, even after use.

P260 = Do not breathe dust/fume/gas/mist/vapours/spray.

P261 = Avoid breathing dust/fume/gas/mist/vapours/spray.

P262 = Do not get in eyes, on skin, or on clothing.

P263 = Avoid contact during pregnancy/while nursing.

P264 = Wash ... thoroughly after handling.

P270 = Do not eat, drink or smoke when using this product.

P271 = Use only outdoors or in a well-ventilated area.

P272 = Contaminated work clothing should not be allowed out of the workplace.

P273 = Avoid release in the environment.

P280 = Wear protective gloves/protective clothing/eye protection/face protection.

P281 = Use personal protective equipment as required.

P282 = Wear cold insulating gloves/face shield/eye protection.

P283 = Wear fire/ flame resistant/retardant clothing.

P284 = Wear respiratory protection.

P285 = In case of inadequate ventilation wear respiratory protection.

P231+P232 = Handle under inert gas. Protect from moisture.

P235+P410 = Keep cool. Protect from sunlight

P301 = IF SWALLOWED:

P302 = IF ON SKIN:

P303 = IF ON SKIN (or hair):

P304 = IF INHALED:

P305 = IF IN EYES:

P306 = IF ON CLOTHING:

P307 = IF exposed:

P308 = IF exposed or concerned:

P309 = IF exposed or if you feel unwell

P310 = Immediately call a POISON CENTER or doctor/physician.

P311 = Call a POISON CENTER or doctor/physician.

P312 = Call a POISON CENTER or doctor/physician if you feel unwell

P313 = Get medical advice/attention.

P314 = Get medical advice/attention if you feel unwell.

P315 = Get immediate medical advice/attention.

P320 = Specific treatment is urgent (see ... on this label)

P321 = Specific treatment (see ... on this label).

P322 = Specific measures (see ... on this label).

P330 = Rinse mouth

P331 = Do NOT induce vomiting.

P332 = If skin irritation occurs:

P333 = If skin irritation or rash occurs:

Incredible Tattoo Supply

Ragione sociale/ Firm

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

SAFETY DATA SHEET/ SCHEDE DI SICUREZZA

Created on/Creato il 19 settembre 2019

Last revised/Ultima revisione 19 settembre 2019

P334 = Immerse in cool water/wrap in wet bandages.

P335 = Brush off loose particles from skin.

P336 = Thaw frosted part with lukewarm water. Do not rub affected area

P337 = If eye irritation persists:

P338 = Remove contact lenses, if present and easy to do. Continue rinsing..

P340 = Remove victim to fresh air and keep at rest in a position comfortable for breathing

P341 = If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P342 = If experiencing respiratory symptoms

P350 = Gently wash with plenty of soap and water.

P351 = Rinse cautiously with water for several minutes

P352 = Wash with plenty of soap and water

P353 = Rinse skin with water/shower.

P360 = Rinse immediately contaminated clothing and skin with plenty of water before removing clothes

P361 = Remove/Take off immediately all contaminated clothing

P362 = Take off contaminated clothing and wash before reuse.

P363 = Wash contaminated clothing before reuse.

P370 = In case of fire:

P371 = In case of major fire and large quantities:

P372 = Explosion risk in case of fire.

P373 = DO NOT fight fire when fire reaches explosives.

P374 = Fight fire with normal precautions from a reasonable distance.

P375 = Fight fire remotely due to the risk of explosion.

P376 = Stop leak if safe to do so.

P377 = Laking gas fire: DO NOT extinguish, unless leak can be stopped safely.

P378 = Use ... for extinction

P380 = Evacuate area.

P381 = Eliminate all ignition sources if safe to do so

P390 = Absorb spillage to prevent material damage.

P391 = Collect spillage.

P301+P310 = IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P301+P312 = IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

P301+P330+P331 = IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

P302+P334 = IF ON SKIN: Immerse in cool water/wrap in wet bandages.

P302+P350 = IF ON SKIN: Gently wash with plenty of soap and water.

P302+P352 = IF ON SKIN: Wash with plenty of soap and water.

P303+P361+P353 = IF ON SKIN (or hair): Remove/Take off immediately contaminated clothing. Rinse skin with wwater/shower.

P304+P340 = IF INHALED: Remve victim to fresh air and keep at rest in a position comfortable for breathing.

P304+P341 = IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 = IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy todo. Continue rinsing.

P306+P360 = IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes

P307+P311 = IF exposed: Call a POISON CENTER or doctor/physician.

P308+P313 = IF exposed or concerned: Get medical attention/advice.

P309+P311 = IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

P332+P313 = IF skin irritation occurs: Get medical advice/attention.

P333+P313 = IF skin irritation or rash occurs: Get medical advice/attention.

P335+P334 = Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

P337+P313 = If eye irritation persists: Get medical advice/attention

P342+P311 = If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

P370+P376 = In case of fire: Stop leak if safe to do so

P370+P378 = In case of fire: USE for extinction

P370+P380 = In case of fire: Evacuate area.

P370+P380+P375 = In case of fire: Evacuate ara. Fight fire remotely due to the risk of explosion.

P371+P380+P375 = In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

P401 = Store ...

P402 = Store in dry place.

P403 = Store in a well-ventilated place.

P404 = Store in a closed container.

P405 = Store locked up.

P406 = Store in corrosive resistant/ ... container with a resitant inner liner

P407 = Maintain air gap between stacks/pallets.

P410 = Protect from sunlight

P411 = Store at temperature not exceeding ... °C/...°F.

P412 = Do not expose to temperatures exceeding 50 °C/122°F.

P413 = Store bulk masses greater than ...kg/...lb at temperatures not exceeding ... °C/...°F.

Incredibile Tattoo Supply

Ragione sociale/ Firm

Via Carlo Cattaneo 5
42100 Reggio Emilia (RE)
+39 0522 268296

Via/piazza e numero - Address
CAP Città Provincia/ZIP code Town
Telefono/Phone
Fax
e-mail

SAFETY DATA SHEET/ SCHEDA DI SICUREZZA

Created on/Creato il 19 settembre 2019

Last revised/Ultima revisione 19 settembre 2019

P420 = Store away from other materials.
P422 = Store contents under ...

P402+P404 = Store in a dry place. Store in a closed container.
P403+P233 = Store in a well-ventilated place. Keep container tightly closed.
P403+P235 = Store in a well-ventilated place. Keep cool.
P410+P403 = Protect from sunlight. Store in a well-ventilated place.
P410+P412 = Protect from sunlight. Do not expose to temperatures exceeding a 50 °C/122°F.
P411+P235 = Store at temperatures not exceeding ... °C/ ... °F. Keep cool

P501 = Dispose of contents/container to ...

Data and information in the present MSDS complies with actual regulation about classification, labeling and packaging of dangerous substances and products.

It is strongly recommended to the user to check and fully respect all the national, regional and local regulations applicable to the specific use, and to respect regulations about worker's hygiene and safety and environment protection.

All informations in this document are considered true and are given in good faith at best of our knowlege. All the way, they do not state any obligation, warranty, freedom of use of intellectual properties, or grant a license.

Product characterists as reported in this document DO NOT state contractual specifications.
